




TG/209/1 Rev

ORIGINAL: English

DATE: 8 January 2015

INTERNATIONAL UNION FOR THE PROTECTION OF NEW VARIETIES OF PLANTS

GENEVA



GUIDELINES

FOR THE CONDUCT OF TESTS

FOR DISTINCTNESS, UNIFORMITY AND STABILITY

Alternative Names: *

<i>Latin</i>	<i>English</i>	<i>French</i>	<i>German</i>	<i>Spanish</i>
<i>Dendrobium Sw.</i>	Dendrobium	Dendrobium	Dendrobium	Dendrobium

ASSOCIATED DOCUMENTS

These guidelines should be read in conjunction with document TG/1/3, “General Introduction to the Examination of Distinctness, Uniformity and Stability and the Development of Harmonized Descriptions of New Varieties of Plants” (hereinafter referred to as the “General Introduction”) and its associated “TGP” documents.

* These names were correct at the time of the introduction of these Test Guidelines but may be revised or updated. [Readers are advised to consult the UPOV Code, which can be found on the UPOV Website (www.upov.int), for the latest information.]

<u>TABLE OF CONTENTS</u>	<u>PAGE</u>
1. SUBJECT OF THESE TEST GUIDELINES.....	3
2. MATERIAL REQUIRED	3
3. METHOD OF EXAMINATION.....	3
3.1 Duration of Tests.....	3
3.2 Testing Place	3
3.3 Conditions for Conducting the Examination.....	3
3.4 Test Design	4
3.5 Number of Plants / Parts of Plants to be Examined.....	4
3.6 Additional Tests	4
4. ASSESSMENT OF DISTINCTNESS, UNIFORMITY AND STABILITY	4
4.1 Distinctness	4
4.2 Uniformity.....	5
4.3 Stability	5
5. GROUPING OF VARIETIES AND ORGANIZATION OF THE GROWING TRIAL.....	5
6. INTRODUCTION TO THE TABLE OF CHARACTERISTICS	6
6.1 Categories of Characteristics.....	6
6.2 States of Expression and Corresponding Notes.....	6
6.3 Types of Expression	7
6.4 Example Varieties	7
6.5 Legend.....	7
7. TABLE OF CHARACTERISTICS	エラー! ブックマークが定義されていません。
8. EXPLANATIONS ON THE TABLE OF CHARACTERISTICS	41
8.1 Explanations covering several characteristics	エラー! ブックマークが定義されていません。
8.2 Explanations for individual characteristics	42
9. LITERATURE	61
10. TECHNICAL QUESTIONNAIRE.....	62

1. Subject of these Test Guidelines

These Test Guidelines apply to all varieties of sect. *Calyptochilus*, sect. *Spatulata*, sect. *Dendrocoryne*, sect. *Eleutheroglossum*, sect. *Latourea*, sect. *Formosae*, sect. *Pedilonum*, sect. *Phalaenanthe*, sect. *Dendrobium* of *Dendrobium* Sw. of the family Orchidaceae and their hybrids.

2. Material Required

2.1 The competent authorities decide on the quantity and quality of the plant material required for testing the variety and when and where it is to be delivered. Applicants submitting material from a State other than that in which the testing takes place must ensure that all customs formalities and phytosanitary requirements are complied with.

2.2 The material is to be supplied in the form of ~~two-year-old plants that have not previously flowered.~~ mature plants that have not flowered previously with an emerging inflorescence.

2.3 The minimum quantity of plant material, to be supplied by the applicant, should be:

~~10 two-year-old plants, each with at least two pseudobulbs.~~
10 plants

2.4 The plant material supplied should be visibly healthy, not lacking in vigor, nor affected by any important pest or disease.

2.5 The plant material should not have undergone any treatment which would affect the expression of the characteristics of the variety, unless the competent authorities allow or request such treatment. If it has been treated, full details of the treatment must be given.

3. Method of Examination

3.1 *Duration of Tests*

The minimum duration of tests should normally be a single ~~growing cycle.~~ flowering period

3.2 *Testing Place*

The tests should normally be conducted at one place. If any characteristics of the variety, which are relevant for the examination of DUS, cannot be seen at that place, the variety may be tested at an additional place.

3.3 *Conditions for Conducting the Examination*

3.3.1 The tests should be carried out under conditions ensuring satisfactory growth for the expression of the relevant characteristics of the variety and for the conduct of the examination.

~~3.3.2 The tests should be conducted in a greenhouse with the following conditions for the Northern Hemisphere:~~

~~Time of submission of plant material: First half of February~~

~~Planting: February – March~~

~~Substrate: Porous with good aeration
Size of pot: medium~~

~~Temperature: *D. nobile* type varieties: minimum 10° C
D. phalaenopsis type varieties: minimum 20° C~~

~~Shading: Summer season 30% shading (optimum 50 thousand Lux)~~

~~Fertilizing: April – July~~

~~Low temperature treatment (flower differentiation): *D. nobile* type varieties; 10 – 13° C for one month in November~~

3.4 Test Design

3.4.1 The design of the tests should be such that plants or parts of plants may be removed for measurement or counting without prejudice to the observations which must be made up to the end of the growing cycle.

3.4.2 Each test should be designed to result in a total of at least 10 plants.

3.5 Number of Plants / Parts of Plants to be Examined

Unless otherwise indicated, all observations determined by measuring or counting should be made on 10 plants or parts taken from each of 10 plants.

3.6 Additional Tests

Additional tests, for examining relevant characteristics, may be established.

4. Assessment of Distinctness, Uniformity and Stability

4.1 Distinctness

4.1.1 General Recommendations

It is of particular importance for users of these Test Guidelines to consult the General Introduction prior to making decisions regarding distinctness. However, the following points are provided for elaboration or emphasis in these Test Guidelines.

4.1.2 Consistent Differences

The minimum duration of tests recommended in section 3.1 reflects, in general, the need to ensure that any differences in a characteristic are sufficiently consistent.

4.1.3 Clear Differences

Determining whether a difference between two varieties is clear depends on many factors, and should consider, in particular, the type of expression of the characteristic being examined, i.e. whether it is expressed in a qualitative, quantitative, or pseudo-qualitative manner. Therefore, it is important that users of these Test Guidelines are familiar with the recommendations contained in the General Introduction prior to making decisions regarding distinctness.

4.2 *Uniformity*

4.2.1 It is of particular importance for users of these Test Guidelines to consult the General Introduction prior to making decisions regarding uniformity. However, the following points are provided for elaboration or emphasis in these Test Guidelines:

4.2.2 For the assessment of uniformity a population standard of 1% and an acceptance probability of at least 95% should be applied. In the case of a sample size of 10 plants, 1 off-type is allowed.

4.3 *Stability*

4.3.1 In practice, it is not usual to perform tests of stability that produce results as certain as those of the testing of distinctness and uniformity. However, experience has demonstrated that, for many types of variety, when a variety has been shown to be uniform, it can also be considered to be stable.

4.3.2 Where appropriate, or in cases of doubt, stability may be tested, either by growing a further generation, or by testing a new plant stock to ensure that it exhibits the same characteristics as those shown by the previous material supplied.

4.3.3 The stability of a hybrid variety may, in addition to an examination of the hybrid variety itself, also be assessed by examination of the uniformity and stability of its parent lines.

5. Grouping of Varieties and Organization of the Growing Trial

5.1 The selection of varieties of common knowledge to be grown in the trial with the candidate varieties and the way in which these varieties are divided into groups to facilitate the assessment of distinctness is aided by the use of grouping characteristics.

5.2 Grouping characteristics are those in which the documented states of expression, even where produced at different locations, can be used, either individually or in combination with other such characteristics: (a) to select varieties of common knowledge that can be excluded from the growing trial used for examination of distinctness; and (b) to organize the growing trial so that similar varieties are grouped together.

5.3 The following have been agreed as useful grouping characteristics:

- (a) Plant: ~~size~~ height (characteristic 1)
- (b) Inflorescence: ~~position of flowers~~ flowering type (characteristic 18)
- (c) Flower Inflorescence: ~~length in front view~~ position of adherence to pseudobulb (characteristic ~~27~~ 17)
- (d) Flower: ~~width in front view~~ separation of sepals and petals (characteristic 28)
- (e) Lip Flower: ~~presence of lateral lobe~~ form type (characteristic 71)
- (f) Lip Flower: eye length (characteristic ~~77~~ 27)
- (g) Lip Flower: color pattern width (except middle part, eye and throat) (characteristic ~~80~~ 28)
- (h) Lip: ~~main color~~ presence of lateral lobe (characteristic 82 71) with the following groups:

- Gr. 1: ~~green~~
- Gr. 2: ~~white~~
- Gr. 3: ~~yellow~~
- Gr. 4: ~~pink~~
- Gr. 5: ~~red~~
- Gr. 6: ~~purple~~
- Gr. 7: ~~reddish~~

5.4 Guidance for the use of grouping characteristics, in the process of examining distinctness, is provided through the General Introduction.

6. Introduction to the Table of Characteristics

6.1 *Categories of Characteristics*

6.1.1 Standard Test Guidelines Characteristics

Standard Test Guidelines characteristics are those which are approved by UPOV for examination of DUS and from which members of the Union can select those suitable for their particular circumstances.

6.1.2 Asterisked Characteristics

Asterisked characteristics (denoted by *) are those included in the Test Guidelines which are important for the international harmonization of variety descriptions and should always be examined for DUS and included in the variety description by all members of the Union, except when the state of expression of a preceding characteristic or regional environmental conditions render this inappropriate.

6.2 *States of Expression and Corresponding Notes*

States of expression are given for each characteristic to define the characteristic and to harmonize descriptions. Each state of expression is allocated a corresponding numerical note for ease of recording of data and for the production and exchange of the description.

6.3 *Types of Expression*

An explanation of the types of expression of characteristics (qualitative, quantitative and pseudo-qualitative) is provided in the General Introduction.

6.4 *Example Varieties*

6.4.1 Where appropriate, example varieties are provided to clarify the states of expression of each characteristic. So far only few varieties exist; therefore, mainly species and only few example varieties are indicated in the Table of Characteristics. All variety denominations are preceded by group names (GREX). General remark: In orchids, a particular grouping on the basis of known parentage, of which the unit is the GREX is in long standing use.

6.4.2 Variety denominations are placed between single quotation marks (e.g. ‘Akebono’).

6.5 *Legend*

(*) Asterisked characteristic – see Section 6.1.2

QL Qualitative characteristic – see Section 6.3

QN Quantitative characteristic – see Section 6.3

PQ Pseudo-Qualitative characteristic – see Section 6.3

(a)-(e) See Explanations on the Table of Characteristics in Chapter 8, Section 8.1

(+) See Explanations on the Table of Characteristics in Chapter 8, Section 8.2

7. Table of Characteristics/Tableau des caractères/Merkmalstabelle/Tabla de caracteres

	English	français	deutsch	español	Example Varieties Exemples Beispielsorten Variedades ejemplo	Note/ Nota
1. (*) (+)	(a Plant: size height)	Plante: taille	Pflanze: Größe	Planta: tamaño		
QN	very-small short	très court	sehr kurz	muy corto	Enobi Komachi 'Shirayukihime'	1
	small short	court	kurz	corto	<i>Dendrobium kingianum</i>	3
	medium	moyen	mittel	medio	Wave King 'Akebono'	5
	large tall	long	lang	largo	Lucky Girl 'Emiko'	7
	very large tall	très long	sehr lang	muy largo		9
2. (*) (+)	(a Pseudobulb: attitude)	Pseudobulbe: disposition	Pseudobulbe: Haltung	Pseudobulbo: porte		
QN	erect	dressé	aufrecht	erecto	'Formidable'	1
	semi-erect	demi-dressé	halbaufrecht	semierecto		3
	horizontal	horizontal	waagerecht	horizontal		5
	semi-drooping	demi-retombant	halbüberhängend	semicolgante		7
	drooping	retombant	überhängend	colgante		9
3. (*) (+)	(a Pseudobulb: length)	Pseudobulbe: longueur	Pseudobulbe: Länge	Pseudobulbo: longitud		
QN	very short	très court	sehr kurz	muy corto	Enobi Komachi 'Shirayukihime'	1
	short	court	kurz	corto	<i>Dendrobium kingianum</i>	3
	medium	moyen	mittel	medio	Wave King 'Akebono'	5
	long	long	lang	largo	Snow Cap 'Love Song'	7
	very long	très long	sehr lang	muy largo		9

	English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
4. (*)	(a Pseudobulb: thickness)	Pseudobulbe: épaisseur	Pseudobulbe: Dicke	Pseudobulbo: grosor		
QN	very thin	très fin	sehr dünn	muy delgado		1
	thin	fin	dünn	delgado	Enobi Komachi 'Shirayukihime'	3
	medium	moyen	mittel	medio	Enobi Parade 'Milky Way'	5
	thick	épais	dick	grueso		7
	very thick	très épais	sehr dick	muy grueso		9
5. (*) (+)	(a Pseudobulb: shape in longitudinal section)	Pseudobulbe: forme en section longitudinale	Pseudobulbe: Form im Längsschnitt	Pseudobulbo: forma en sección longitudinal		
PQ	linear	linéaire	linear	lineal	'Formidable'	1
	lanceolate	lancéolé	lanzettlich	lanceolada		2
	ovate	ovale	eiförmig	oval		3
	elliptic	elliptique	elliptisch	elíptica		4
	obovate	obovale	verkehrt eiförmig	oboval		5
6. (*)	(a Pseudobulb: shape in cross section)	Pseudobulbe: forme en section transversale	Pseudobulbe: Form im Querschnitt	Pseudobulbo: forma en sección transversal		
PQ	elliptic	elliptique	elliptisch	elíptica		1
	circular	arrondi	rund	circular	'Formidable'	2
	angular	anguleux	kantig	angular	<i>Dendrobium densiflorum</i>	3
7.	Plant: age of flowering pseudobulb (principally)	Plante: âge du pseudobulbe florifère (principalement)	Pflanze: Alter der blühenden Pseudobulbe (hauptsächlich)	Planta: tiempo de floración del pseudobulbo (principalmente)		
QL	one year	un an	ein Jahr	un año	'Formidable'	1
	two years or more	deux ans et plus	zwei Jahre oder mehr	dos años o más		2

English	français	deutsch	español	Example Varieties Exemples Beispielssorten Variedades ejemplo	Note/ Nota
8. (b Leaf: length (*) (+)	Feuille: longueur	Blatt: Länge	Hoja: longitud		
QN short	courte	kurz	corta	Stardust ‘Chiyomi’	3
medium	moyenne	mittel	media	Wave King ‘Akebono’	5
long	longue	lang	larga		7
9. (b Leaf: width (*) (+)	Feuille: largeur	Blatt: Breite	Hoja: anchura		
QN narrow	étroite	schmal	estrecha	Stardust ‘Chiyomi’	3
medium	moyenne	mittel	media	Wave King ‘Akebono’	5
broad	large	breit	ancha	Snow Cap ‘Love Song’	7
10. (b Leaf: shape (*) (+)	Feuille: forme	Blatt: Form	Hoja: forma		
PQ narrow elliptic linear	linéaire	linear	lineal		1
elliptic	elliptique	elliptisch	elíptica		2
narrow ovate	ovale	eiförmig	oval		3
narrow-obovate	obovale	verkehrt eiförmig	oboval		4
spatulate	spatulée	spatelförmig	espatulada		5
11. (b Leaf: main green) color	Feuille: couleur verte principale	Blatt: hauptsächliche Grünfärbung	Hoja: color verde principal		
QN light	claire	hell	claro		3
medium	moyenne	mittel	medio	Enobi Komachi ‘Shirayukihime’	5
dark	foncée	dunkel	oscuro	Enobi Parade ‘Milky Way’	7

12.	(b)	Leaf: presence of variegation	Feuille: présence de panachure	Blatt: Vorhandensein einer Panaschierung	Hoja: presencia de variegado	
QL		absent	absente	fehlend	ausente	Enobi Komachi 'Shirayukihime'
		present	présente	vorhanden	presente	
						1
						9
13.	(b)	Leaf: type of variegation	Feuille: type de panachure	Blatt: Art der Panaschierung	Hoja: tipo de variegado	
(+)						
PQ		brindled	mouchetée	gescheckt	pinto	1
		spotted	tachetée	gefleckt	manchado	2
		striped	striée	gestreift	estriado	3
		centered	centrée	in der Mitte	centrado	4
		edged-> maginate	bordée	gerändert	ribeteado	5
14.	(b)	Leaf: color of variegation	Feuille: couleur de la panachure	Blatt: Farbe der Panaschierung	Hoja: color del variegado	
PQ		white	blanche	weiß	blanco	1
		yellow	jaune	gelb	amarillo	2
		yellowish green	vert-jaune	gelbgrün	verde amarillento	3
		white and yellow	blanche et jaune	weiß und gelb	blanco y amarillo	4
		white and yellowish green	blanche et vert-jaune	weiß und gelbgrün	blanco y verde amarillento	5
		yellow and yellowish green	jaune et vert-jaune	gelb und gelbgrün	amarillo y verde amarillento	6
15.	(b)	Leaf: pubescence	Feuille: pilosité	Blatt: Behaarung	Hoja: pubescencia	
QL		absent	absente	fehlend	ausente	1
		present	présente	vorhanden	presente	'Formidable'
						9
16.	(b)	Leaf: color of pubescence	Feuille: couleur des poils	Blatt: Farbe der Behaarung	Hoja: color de la pubescencia	
QL		white	blancs	weiß	blanco	1
		black	noirs	schwarz	negro	'Formidable'
						2
New (+)	(c)	Inflorescence: flowering type				

PQ	solitary					1
	cluster					2
	inflorescence to be deleted					3
17. (*)(+)	(c) Inflorescence: position of adherence to pseudobulb	Inflorescence: emplacement de l'adhérence au pseudobulbe	Blütenstand: Position des Anhaftens an der Pseudobulbe	Inflorescencia: posición de la adherencia al pseudobulbo		
QL	along whole length					1
PQ	lateral					
	top part only lateral and terminal					2
	terminal					3
18. (*)(+)	(e) Inflorescence: position of flowers	Inflorescence: position des fleurs	Blütenstand: Position der Blüten	Inflorescencia: posición de las flores		
QL	along peduncle	le long du pédoncule	entlang des Blütenstiels	a lo largo del pedúnculo	Snow Cap 'Love Song'	1
	apex only	seulement sur le sommet	nur an der Spitze	únicamente en el ápice	Pink Beauty 'Queen'	2
New (+)	(e) Inflorescence: arrangement of flowers					
QL	absent					1
	alternate					2
	spiral to be deleted					3
New (+)	(c) Inflorescence: axis type					
QL	absent (to be deleted)					1
	straight					2
	zig-zag					3
19. (*)(+)	(c) Inflorescence: number of flowers	Inflorescence: nombre de fleurs	Blütenstand: Anzahl Blüten	Inflorescencia: número de flores		
QN	few	rare	gering	bajo	Enobi Komachi 'Shirayukihime'	3

	medium	assez nombreuses	mittel	medio	Snow Cap 'Love Song'	5
	many	nombreuses	groß	alto		7
20.	(c) Peduncle (*) Inflorescence: length (+)	Pédoncule: longueur	Blütenstiel: Länge	Pedúnculo: longitud		
QN	short	court	kurz	corto	Lucky Girl 'Emiko'	3
	medium	moyen	mittel	medio	Enobi Parade 'Milky Way'	5
	long	long	lang	largo	Queen Southeast 'Crystal Queen'	7
New (+)	(c) Inflorescence: length of peduncle					
QN	short	court	kurz	corto		3
	medium	moyen	mittel	medio		5
	long	long	lang	largo		7
21.	(c) Peduncle (*) Inflorescence: thickness of peduncle (+)	Pédoncule: épaisseur	Blütenstiel: Dicke	Pedúnculo: grosor		
QN	thin	fin	dünn	delgado		3
	medium	moyen	mittel	medio	Lucky Girl 'Emiko'	5
	thick	épais	dick	grueso		7
22.	(c) Peduncle (*) Inflorescence: attitude to be replaced diagram (+)	Pédoncule: disposition	Blütenstiel: Haltung	Pedúnculo: porte		
PQ	erect	dressé	aufrecht	erecto	Enobi Komachi 'Shirayukihime'	4
	semi-erect	demi-dressé	halbaufrecht	semierecto	Snow Cap 'Love Song'	2 1
	horizontal	horizontal	waagrecht	horizontal		3 2
	recurving pendulous	retombant	zurückgebogen	curvado hacia abajo		4 3
New (+)	(c) Inflorescence: distribution of flower density of flower					
QN	elose sparse					3
	medium					5

	distant dense					7
New	(c) Inflorescence: number of inflorescence per pseudobulb					
QN	few	rares	gering	bajo		3
	medium	assez nombreuses	mittel	medio		5
	many	nombreuses	groß	alto		7
23.	(c) Pedicellate ovary: Flower: length of pedicel	Ovaire pédonculaire: longueur	Fruchtknoten mit gestielten Blüten: Länge	Ovario pedicelado: longitud		
QN	short	courte	kurz	corto	Wave King 'Akebono'	3
	medium	moyenne	mittel	medio	Snow Cap 'Love Song'	5
	long	longue	lang	largo		7
New	(c) Flower: colour of pedicel					
PQ	white					
	yellow					1
	green					2
	pink					3
	red					4
	purple					5
New	(c) Flower: secondary colour of pedicel					
QL	absent	absent	fehlend	ausente		1
	present	présent	vorhanden	presente		9
24.	(*) Pedicellate ovary: thickness	Ovaire pédonculaire: épaisseur	Fruchtknoten mit gestielten Blüten: Dicke	Ovario pedicelado: grosor		
QN	thin	fine	dünn	delgado	Wave King 'Akebono'	3
	medium	moyenne	mittel	medio		5
	thick	épaisse	dick	grueso		7

25. (*)	(c) Flower: general appearance of petals and sepals	Fleur: apparence générale des pétales et sépales	Blüte: Allgemeine Erscheinung der Blütenblätter und der Kelchblätter	Flor: aspecto general de pétalos y sépalos		
PQ	all incurving	tous incurvés	alle eingebogen	todos curvados hacia adentro		1
	some incurving and some flat	quelques-uns incurvés, quelques-un étalés	einige eingebogen, einige gespreizt	algunos curvados hacia adentro, otros extendidos	Stardust 'Chiyomi'	2
	all flat	tous étalés	alle gespreizt	todos extendidos		3
	some flat and some reflexing	quelques-uns étalés, quelques-uns réfléchis	einige gespreizt, einige zurückgebogen	algunos extendidos, otros curvados hacia afuera	Enobi Komachi 'Shirayukihime'	4
	all reflexing	tous réfléchis	alle zurückgebogen	todos curvados hacia afuera		5
	some incurving and some reflexing	quelques-uns incurvés, quelques-uns réfléchis	einige eingebogen, einige zurückgebogen	algunos curvados hacia adentro y otros hacia afuera		6
26. (+)	(c) Flower: length of mentum	Fleur: longueur du mentum	Blüte: Länge des Mentums	Flor: longitud del mentón		
QN QL	short absent or very short	absent	fehlend	ausente	<i>Dendrobium kingianum</i>	3 1
	medium present short	présent	vorhanden	presente	'Formidable'	5 92
	long medium					73
	long					4
New (+)	(c) Flower: separation of sepals and petals					
PQ	separated					1
	slightly overlapping					2
	overlapping					3
New	(c) Flower: form type					
PQ	antelope type					1
	intermediate type					2
	semi-phalaenopsis type					3

	phalaenopsis type					4
	nobile type	to be deleted				
	others					5
27.	(*) (c) Flower: length in front view	Fleur: longueur en vue de face	Blüte: Länge in der Vorderansicht	Flor: longitud en vista frontal		
QN	short	courte	kurz	corta	Enobi Komachi 'Shirayukihime'	3
	medium	moyenne	mittel	media	Lucky Girl 'Emiko'	5
	long	longue	lang	larga		7
28.	(*) (c) Flower: width in front view	Fleur: largeur en vue de face	Blüte: Breite in der Vorderansicht	Flor: anchura en vista frontal		
QN	narrow	étroite	schmal	estrecha	Enobi Komachi 'Shirayukihime'	3
	medium	moyenne	mittel	media	Lucky Girl 'Emiko'	5
	broad	large	breit	ancha		7
29.	(*) (d) Flower: fragrance	Fleur: parfum	Blüte: Duft	Flor: fragancia/perfume		
QL	absent	absent	fehlend	ausente		1
	present	présent	vorhanden	presente	Snow Cap 'Love Song'	9
30.	(*) (+) Dorsal sepal: curvature of longitudinal axis	Sépale dorsal: courbure de l'axe longitudinal	Dorsales Kelchblatt: Biegung der Längsachse	Sépalo dorsal: curvatura del eje longitudinal		
QN	strongly incurving	fortement incurvé	stark eingebogen	fuertemente curvado hacia arriba		1
	moderately weakly incurving					3
	straight	droit	gerade	recto	Snow Cap 'Love Song'	5
	moderately weakly recurving				Enobi Komachi 'Shirayukihime'	7
	strongly recurving	fortement retombant	stark zurückgebogen	fuertemente recurvado hacia abajo		9

31. (∓) (*) (+) (c)	Dorsal sepal: length	Sépale dorsal: longueur	Dorsales Kelchblatt: Länge	Sépalo dorsal: longitud		
QN	short	court	kurz	corto	Enobi Parade 'Milky Way'	3
	medium	moyen	mittel	medio	Wave King 'Akebono'	5
	long	long	lang	largo		7
32. (∓) (*) (+) (c)	Dorsal sepal: width	Sépale dorsal: largeur	Dorsales Kelchblatt: Breite	Sépalo dorsal: anchura		
QN	narrow	étroit	schmal	estrecho	Enobi Parade 'Milky Way'	3
	medium	moyen	mittel	medio	Wave King 'Akebono'	5
	broad	large	breit	ancho		7
33. (d) (*) (+) (c)	Dorsal sepal: shape to be changed	Sépale dorsal: forme	Dorsales Kelchblatt: Form	Sépalo dorsal: forma		
PQ	narrow elliptic	elliptique étroit	schmal elliptisch	elíptica estrecha	Stardust 'Chiyomi'	1
	elliptic	elliptique	elliptisch	elíptica	Lucky Girl 'Emiko'	2
	ovate	ovale	eiförmig	oval		3
	obovate	obovale	verkehrt eiförmig	oboval		4
	transverse elliptic triangular	elliptique transversal triangulaire	quer-elliptisch dreieckig	elíptica transversal triangular		5
	spatulate	spatulé	spatelförmig	espatulada		6
34. (c) (*) (+)	Varieties excluding twisted type: Dorsal sepal: cross section	Sépale dorsal: section transversale	Dorsales Kelchblatt: Querschnitt	Sépalo dorsal: sección transversal		
QN	strongly concave	fortement concave	stark konkav	fuertemente cóncava		1
	moderately weakly concave					3
	flat				Snow Cap 'Love Song'	5
	moderately weakly convex					7
	strongly convex	fortement convexe	stark konvex	fuertemente convexa	Pink Beauty 'Queen'	9

35. (*)	(c) Dorsal sepal: twisting	Sépale dorsal: torsion	Dorsales Kelchblatt: Drehung	Sépalo dorsal: torsión	
QN	absent or very weak	absent	fehlend	ausente	1
	weak	présent	vorhanden	presente	3 9
	medium				5
	strong				7
	very strong				9
36. (*)	(c) Dorsal sepal: undulation of margin	Sépale dorsal: ondulation du bord	Dorsales Kelchblatt: Randwellung	Sépalo dorsal: ondulación del margen	
QN	absent or very weak	absent		ausente	1
			fehlend		
	weak	présent	vorhanden	presente	3 9
	medium				5
	strong				7
	very strong				9
37. (*)	(c) Lateral sepal: curvature of longitudinal axis	Sépale latéral: courbure de l'axe longitudinal	Seitliches Kelchblatt: Biegung der Längsachse	Sépalo lateral: curvatura del eje longitudinal	
QN	strongly incurving	fortement incurvé	stark eingebogen	fuertemente curvado hacia arriba	1
	moderately weakly incurving				3
	straight	droit	gerade	recto	Snow Cap 'Love Song' 5
	moderately weakly recurving				Enobi Komachi 'Shirayukihime' 7
	strongly recurving	fortement courbé	stark zurückgebogen	fuertemente curvado hacia abajo	9

38. (*) (*) (+)	(c) Lateral sepal: length) (c)	Sépale latéral: longueur	Seitliches Kelchblatt: Länge	Sépalo lateral: longitud		
QN	short	court	kurz	corto	Enobi Parade 'Milky Way'	3
	medium	moyen	mittel	medio	Wave King 'Akebono'	5
	long	long	lang	largo		7
39. (*) (*) (+)	(c) Lateral sepal: width) (c)	Sépale latéral: largeur	Seitliches Kelchblatt: Breite	Sépalo lateral: anchura		
QN	narrow	étroit	schmal	estrecho	Enobi Parade 'Milky Way'	3
	medium	moyen	mittel	medio	Wave King 'Akebono'	5
	broad	large	breit	ancho		7
40. (*) (+)	(c) Lateral sepal: shape to be changed (char.33)	Sépale latéral: forme	Seitliches Kelchblatt: Form	Sépalo lateral: forma		
PQ	narrow elliptic	elliptique étroit	schmal elliptisch	elíptica estrecha		1
	elliptic	elliptique	elliptisch	elíptica	Enobi Komachi 'Shirayukihime'	2
	ovate	ovale	eiförmig	oval		3
	obovate	obovale	verkehrt eiförmig	oboval		4
	transverse elliptic triangular	elliptique transversal triangulaire	quer-elliptisch dreieckig	elíptica transversal triangular		5
	spatulate	spatulé	spatelförmig	espatulada		6

41. (* (+)	(c) Varieties excluding twisted type: Lateral sepal: cross section	Sépale latéral: section transversale	Seitliches Kelchblatt: Querschnitt	Sépalo lateral: sección transversal	
QN	strongly concave	fortement concave	stark konkav	fuertemente cóncava	1
	moderately weakly concave				Stardust 'Chiyomi' 3
	straight flat				Enobi Parade 'Milky Way' 5
	moderately weakly convex				7
	strongly convex	fortement convexe	stark konvex	fuertemente convexa	9
42. (*	(c) Lateral sepal: twisting	Sépale latéral: torsion	Seitliches Kelchblatt: Drehung	Sépalo lateral: torsión	
QN	absent or very weak	absent	fehlend	ausente	1
	weak	présent	vorhanden	presente	3 9
	medium				5
	strong				7
	very strong				9
43. (*	(c) Lateral sepal: undulation of margin	Sépale latéral: ondulation du bord	Seitliches Kelchblatt: Randwellung	Sépalo lateral: ondulación del margen	
QN	absent or very weak	absent	fehlend	ausente	1
	weak	présent	vorhanden	presente	3 9
	medium				5
	strong				7
	very strong				9

44.	(c) Sepal: number of colors marginal outline zone (* (+)	Sépale:	Kelchblatt:	Sépalo:		
QL	one absent or very narrow	absent	fehlend	ausente		1
	two narrow	présent	vorhanden	presente		2
	three medium					3
	broad					4
	more than three					
New (+)	(c) Sepal: uniform pattern (e)					
QL	absent	absent	fehlend	ausente		1
	present	présent	vorhanden	presente		9
45.	(c) Sepal: color shading pattern (* (+)					
QL	self-colored absent	absent	fehlend	ausente	Stardust 'Chiyomi'	1
	shaded present	présent	vorhanden	presente	Snow Cap 'Love Song'	2-9
	edged	bordée	gerändert	ribeteado	Holy Night 'Yumeji'	3
	striped	striée	gestreift	estriado		4
	netted	réticulée	netzartig	reticulado		5
	spotted	tachetée	fleckig	manchado		6
	shaded and striped	dégradée et striée	schattiert und gestreift	sombreado y estriado		7
	shaded and netted	dégradée et réticulée	schattiert und netzartig	sombreado y reticulado		8
	shaded and spotted	dégradée et tachetée	schattiert und fleckig	sombreado y manchado		9
New (+)	(c) Sepal: veined pattern (e)					
QL	absent	absent	fehlend	ausente		1
	present	présent	vorhanden	presente		9
New (+)	(c) Sepal: striped pattern (e)					

QL	absent	absent	fehlend	ausente	1
	present	présent	vorhanden	presente	9
New (+)	(c) (e)	Sepal: netted pattern			
QL	absent	absent	fehlend	ausente	1
	present	présent	vorhanden	presente	9
New (+)	(c) (e)	Sepal: spotted pattern			
QL	absent	absent	fehlend	ausente	1
	present	présent	vorhanden	presente	9
New (+)	(c) (e)	Sepal: flushed pattern			
QL	absent	absent	fehlend	ausente	1
	present	présent	vorhanden	presente	9
New (+)	(c) (e)	Sepal: splashed pattern			
QL	absent	absent	fehlend	ausente	1
	present	présent	vorhanden	presente	9
46.	(c) (e)	Sepal: main ground color	Sépale: couleur principale	Kelchblatt: Hauptfarbe	Sépalo: color principal
PQ	RHS Colour Chart (indicate reference number)	Code RHS des couleurs (indiquer le numéro de référence)	RHS-Farbkarte (Nummer angeben)	Carta de colores RHS (indíquese el número de referencia)	
(e) (e)	Varieties with shaded sepals only: Sepal: extent of shading	Variétés à sépales dégradés seulement: Sépale: étendue du dégradé	Nur Sorten mit schattierten Kelchblättern: Kelchblatt: Ausdehnung der Schattierung	Sólo variedades de sépalos sombreados: Sépalo: extensión del sombreado	
QN	small	petite	gering	pequeño	3
	medium	moyenne	mittel	medio	Snow Cap 'Love Song' 5
	large	grande	groß	grande	7

48. (c) **Varieties with shading** Variétés à sépales dégradés Nur Sorten mit schattierten Kelchblättern: Sólo variedades de sépalos sombreados:
(e) **shaded sepals only:** dégradés seulement: Sépale: Kelchblatt: Farbe der Schattierung Sépalo: color del sombreado
Sepal: **dominant color of shading** couleur du dégradé

PQ **RHS Colour Chart (indicate reference number)** Code RHS des couleurs (indiquer le numéro de référence) RHS Farbkarte (Nummer angeben) Carta de colores RHS (indíquese el número de referencia)

pink

1

red

2

brown

3

yellow

4

green

5

New (+) **Varieties with marginal zone sepals only:** Sépale : color of marginal zone

PQ

RHS Colour Chart (indicate reference number)

49. (e) **Varieties with edged sepals only:** Sépale: color of edging Variétés à sépales bordés seulement: Sépale: couleur de la bordure Nur Sorten mit geränderten Kelchblättern: Kelchblatt: Farbe der Ränderung Sólo variedades de sépalos ribeteados: Sépalo: color del ribeteado

PQ **RHS Colour Chart (indicate reference number)** Code RHS des couleurs (indiquer le numéro de référence) RHS Farbkarte (Nummer angeben) Carta de colores RHS (indíquese el número de referencia)

New (c) **Varieties with veined sepals only:** Sépale: color of vein Variétés à sépales striés seulement: Sépale: couleur des stries Nur Sorten mit gestreiften Kelchblättern: Kelchblatt: Farbe der Streifen Sólo variedades de sépalos estriados: Sépalo: color de las estrías

PQ **RHS Colour Chart (indicate reference number)** Code RHS des couleurs (indiquer le numéro de référence) **RHS Farbkarte (Nummer angeben)** Carta de colores RHS (indíquese el número de referencia)

50. (c) **Varieties with striped** **Variétés à sépales** **Nur Sorten mit** **Sólo variedades de**
(e) **sepals only: Sepal:** **striés seulement:** **gestreiften** **sépalos estriados:**
color of stripes **Sépale: couleur des** **Kelchblättern:** **Sépalo: color de**
stries **stries** **Kelchblatt: Farbe** **las estrias**
der Streifen

PQ **RHS Colour Chart** **Code RHS des** **RHS Farbkarte** **Carta de colores**
(indicate reference **e couleurs (indiquer le** **(Nummer angeben)** **RHS: (indíquese el**
number) **numéro de référence)** **número de**
 referencia)

pink

1

red

2

brown

3

yellow

4

green

5

51. (c) **Varieties with netted** **Variétés à sépales** **Nur Sorten mit** **Solamente**
(e) **sepals only: Sepal:** **réticulés seulement:** **netzartigen** **variedades de**
color of netting **Sépale: couleur de la** **Kelchblättern:** **sépalos**
reticulation **reticulation** **Kelchblatt: Farbe** **reticulados:**
 des Netzes **des Netzes** **Sépalo: color del**
 reticulado

PQ **RHS Colour Chart** **Code RHS des** **RHS Farbkarte** **Carta de colores**
(indicate reference **e couleurs (indiquer le** **(Nummer angeben)** **RHS (indíquese el**
number) **numéro de référence)** **número de**
 referencia)

pink

1

red

2

brown

3

yellow

4

green

5

52. (c) **Varieties with spotted** **Variétés à sépales** **Nur Sorten mit** **Sólo variedades de**
(e) **sepals only: Sepal:** **tachetés seulement:** **fleckigen** **sépalos**
color of spots **Sépale: couleur des** **Kelchblättern:** **manchados:**
taches **taches** **Kelchblatt: Farbe** **Sépalo: color de**
 der Flecken **der Flecken** **las manchas**

PQ **RHS Colour Chart** **Code RHS des** **RHS Farbkarte** **Carta de colores**
(indicate reference **e couleurs (indiquer le** **(Nummer angeben)** **RHS (indíquese el**
number) **numéro de référence)** **número de**
 referencia)

red

1

brown

2

						purple	3
New	(c) Varieties with flushed (e) sepals only: Sepal: color of flush						
PQ	RHS Colour Chart (indicate reference number)						1
	pink						2
	red						3
	brown						4
	yellow						5
	green						
New	(c) Varieties with (e) splashed sepals only: Sepal: color of splash						
PQ	RHS Colour Chart (indicate reference number)						1
	pink						2
	red						3
	brown						4
	yellow						5
	green						
53. (*) (+)	(c) Petal: curvature of longitudinal axis	Pétale: courbure de l'axe longitudinal	Blütenblatt: Biegung der Längsachse	Pétalo: curvatura del eje longitudinal			
QN	strongly incurving	fortement incurvé	stark eingebogen	fuertemente curvado hacia arriba			1
	moderately weakly incurving						3
	straight	droit	gerade	recto	Lucky Girl 'Emiko'		5
	moderately weakly recurving				Enobi Komachi 'Shirayukihime'		7
	strongly recurving	fortement retombant	stark zurückgebogen	fuertemente curvado hacia abajo			9

54. (*) Petal: length (*) (+)	Pétale: longueur	Blütenblatt: Länge	Pétalo: longitud		
QN	short	court	kurz	corto	Enobi Parade 'Milky Way' 3
	medium	moyen	mittel	medio	Wave King 'Akebono' 5
	long	long	lang	largo	7
55. (*) Petal: width (*) (+)	Pétale: largeur	Blütenblatt: Breite	Pétalo: anchura		
QN	narrow	étroit	schmal	estrecho	Enobi Parade 'Milky Way' 3
	medium	moyen	mittel	medio	Wave King 'Akebono' 5
	broad	large	breit	ancho	7
56. (c) Petal: shape (*) (+)	Pétale: forme	Blütenblatt: Form	Pétalo: forma		
PQ	narrow elliptic	elliptique étroit	schmal elliptisch	elíptica estrecha	1
	elliptic	elliptique	elliptisch	elíptica	Stardust 'Chiyomi' 2
	ovate	ovale	eiförmig	oval	3
	obovate	obovale	verkehrt eiförmig	oboval	4
	transverse elliptic	elliptique transversal	quer-elliptisch	elíptica transversal	5
	spatulate	spatulé	spatelförmig	espatulada	6-5
57. (c) Varieties excluding twisted type: Petal: cross section (*) (+)	Pétale: section transversale	Blütenblatt: Querschnitt	Pétalo: sección transversal		
QN	strongly concave	fortement concave	stark konkav	fuertemente cóncava	1
	moderately weakly concave	moyennement concave	mittel konkav	moderadamente cóncava	3
	straight flat	droit	gerade	recto	Enobi Parade 'Milky Way' 5
	moderately weakly convex	moyennement convexe	mittel konvex	moderadamente convexa	7

	strongly convex	fortement convexe	stark konvex	fuertemente convexa		9
58. (*)	(c) Petal: twisting	Pétale: torsion	Blütenblatt: Drehung	Pétalo: torsión		
QN	absent or very weak	absente ou très faible	fehlend oder sehr gering	ausente o muy débil		1
	weak	faible	gering	débil	Pink Beauty ‘Queen’	3
	medium	moyenne	mittel	media		5
	strong	forte	stark	fuerte		7
	very strong	très forte	sehr stark	muy fuerte		9
59. (*)	(c) Varieties excluding twisted type; Petal: undulation of margin	Pétale: ondulation du bord	Blütenblatt: Randwellung	Pétalo: ondulación del margen		
QN	absent or very weak	nulle ou très faible	fehlend oder sehr gering	ausente o muy débil		1
	weak	faible	gering	débil	Stardust ‘Chiyomi’	3
	medium	moyenne	mittel	media	Wave King ‘Akebono’	5
	strong	forte	stark	fuerte	Pink Beauty ‘Queen’	7
	very strong	très forte	sehr stark	muy fuerte		9
60. (*)(+)	(c) Petal: number of colors marginal outline	Pétale: nombre de couleurs	Blütenblatt: Anzahl Farben	Pétalo: número de colores		
QL	one absent	absent	fehlend	ausente		1
	two present	présent	vorhanden	presente	Holy Night ‘Yumeji’	2 9
	three	trois	drei	tres		3
	more than three	plus de trois	mehr als drei	más de tres		4

61. (* (+)	(c) (e)	Petal: color- uniform	Pétale: répartition des couleurs	Blütenblatt: Farbverteilung	Pétalo: distribución del color	
QL	self-colored	absent	absent	fehlend	ausente	1
	shaded	present	dégradée	schattiert	sombreado	2 9
	edged		bordée	gerändert	ribeteado	Holy Night 'Yumeji' 3
	striped		striée	gestreift	estriado	4
	netted		réticulée	netzartig	reticulado	5
	spotted		tachetée	fleckig	manchado	6
	shaded and striped		dégradée et striée	schattiert und gestreift	sombreado y estriado	7
	shaded and netted		dégradée et réticulée	schattiert und netzartig	sombreado y reticulado	8
	shaded and spotted		dégradée et tachetée	schattiert und fleckig	sombreado y manchado	9
<hr/>						
New (+)	(c) (e)	Petal: shading pattern				
QL	absent	absent	absent	fehlend	ausente	1
	present	présent	vorhanden	presente		9
<hr/>						
New (+)	(c) (e)	Petal: veined pattern				
QL	absent	absent	absent	fehlend	ausente	1
	present	présent	vorhanden	presente		9
<hr/>						
New (+)	(c) (e)	Petal: striped pattern				
QL	absent	absent	absent	fehlend	ausente	1
	present	présent	vorhanden	presente		9
<hr/>						
New (+)	(c) (e)	Petal: netted pattern				
QL	absent	absent	absent	fehlend	ausente	1
	present	présent	vorhanden	presente		9
<hr/>						
New (+)	(c) (e)	Petal: spotted pattern				

QL	absent	absent	fehlend	ausente	1
	present	présent	vorhanden	presente	9
New (+)	(c) (e) Petal: flushed pattern				
QL	absent	absent	fehlend	ausente	1
	present	présent	vorhanden	presente	9
New (+)	(c) (e) Petal: splashed pattern				
QL	absent	absent	fehlend	ausente	1
	present	présent	vorhanden	presente	9
62.	(c) (e) Petal: main color	Pétale: couleur principale	Blütenblatt: Hauptfarbe	Pétalo: color principal	
PQ	RHS Colour Chart (indicate reference number)	Code RHS des couleurs (indiquer le numéro de référence)	RHS-Farbkarte (Nummer angeben)	Carta de colores RHS (indíquese el número de referencia)	
63.	(e) <u>Varieties with shaded petals only: Petal: extent of shading</u>	<u>Variétés à pétales dégradés seulement: Pétale: étendue du dégradé</u>	<u>Nur Sorten mit schattierten Blütenblättern: Sorten: Blütenblatt: Ausdehnung der Schattierung</u>	<u>Sólo variedades de pétalos sombreados: Pétalo: extensión del sombreado</u>	
QN	small	petite	gering	pequeño	3
	medium	moyenne	mittel	medio	5
	large	grande	groß	grande	7
64.	(c) (e) <u>Varieties with shaded petals only: Petal: color of shading</u>	<u>Variétés à pétales dégradés seulement: Pétale: couleur du dégradé</u>	<u>Nur Sorten mit schattierten Blütenblättern: Blütenblatt: Farbe der Schattierung</u>	<u>Sólo variedades de pétalos sombreados: Pétalo: color del sombreado</u>	
PQ	RHS Colour Chart (indicate reference number)	Code RHS des couleurs (indiquer le numéro de référence)	RHS-Farbkarte (Nummer angeben)	Carta de colores RHS (indíquese el número de referencia)	

pink

1

red

2

brown

3

yellow

4

green

5

65.	(e) <u>Varieties with edged petals only:</u> Petal: color of edging	<u>Variétés à pétales bordés seulement:</u> Pétale: couleur de la bordure	<u>Nur Sorten mit geränderten Blütenblättern:</u> Blütenblatt: Farbe der Ränderung	<u>Sólo variedades de pétalos ribeteados:</u> Pétalo: color del ribeteado
PQ	RHS Colour Chart (indicate reference number)	Code RHS des couleurs (indiquer le numéro de référence)	RHS Farbkarte (Nummer angeben)	Carta de colores RHS (indíquese el número de referencia)

66.	(c) <u>Varieties with striped petals only:</u> Petal: color of stripes	<u>Variétés à pétales striés seulement:</u> Pétale: couleur des stries	<u>Nur Sorten mit gestreiften Blütenblättern:</u> Blütenblatt: Farbe der Streifen	<u>Sólo variedades de pétalos estriados:</u> Pétalo: color de las estrias	
PQ	RHS Colour Chart (indicate reference number)	Code RHS des couleurs (indiquer le numéro de référence)	RHS Farbkarte (Nummer angeben)	Carta de colores RHS (indíquese el número de referencia)	
	pink				1
	red				2
	brown				3
	yellow				4
	green				5
67.	(c) <u>Varieties with netted petals only:</u> Petal: color of netting	<u>Variétés à pétales réticulés seulement:</u> Pétales: couleur de la réticulation	<u>Nur Sorten mit netzartigen Blütenblättern:</u> Blütenblatt: Farbe des Netzes	<u>Sólo variedades de pétalos reticulados:</u> Pétalo: color del reticulado	
PQ	RHS Colour Chart (indicate reference number)	Code RHS des couleurs (indiquer le numéro de référence)	RHS Farbkarte (Nummer angeben)	Carta de colores RHS (indíquese el número de referencia)	
	pink				1
	red				2
	brown				3
	yellow				4
	green				5
68.	(c) <u>Varieties with spotted petals only:</u> Petal: color of spots	<u>Variétés à pétales tachetés seulement:</u> couleur des taches	<u>Nur Sorten mit fleckigen Blütenblättern:</u> Blütenblatt: Farbe der Flecken	<u>Sólo variedades de pétalos manchados:</u> Pétalo: color de las manchas	
PQ	RHS Colour Chart (indicate reference number)	Code RHS des couleurs (indiquer le numéro de référence)	RHS Farbkarte (Nummer angeben)	Carta de colores RHS (indíquese el número de referencia)	
	red				1
	brown				2

	purple					3
New	(c) Varieties with flushed petals only: Petal: color of flush					
PQ	pink					1
	red					2
	brown					3
	yellow					4
	green					5
New	(c) Varieties with splashed petals only: Petal: color of splash					
PQ	pink					1
	red					2
	brown					3
	yellow					4
	green					5
New	(c) Lip: presence of lip					
QL	absent	absent	fehlend	ausente	absent	1
	present	présent	vorhanden	presente	présent	9
69. (*)	(c) Lip: length	Labelle: longueur	Lippe: Länge	Labio: longitudud		
QN	short	court	kurz	corto	Enobi Parade 'Milky Way'	3
	medium	moyen	mittel	medio	Wave King 'Akebono'	5
	long	long	lang	grande		7
70. (*)	(c) Lip: width	Labelle: largeur	Lippe: Breite	Labio: anchura		
QN	narrow	étroit	schmal	estrecho	Enobi Parade 'Milky Way'	3
	medium	moyen	mittel	medio	Himezakura 'Fujikko'	5
	broad	large	breit	ancho	Wave King 'Akebono'	7

71.	(c)	Lip: presence of lateral lobe	Labelle: présence du lobe latéral	Lippe: Vorhandensein des Seitenlappens	Labio: presencia de lóbulo lateral		
(*)							
(+)							
QL		absent	absent	fehlend	ausente	Stardust ‘Chiyomi’	1
		present	présent	vorhanden	presente	<i>Dendrobium bellatulum</i>	9
72.	(c)	<u>Varieties without lateral lobes only:</u> Lip: shape	<u>Variétés sans lobes latéraux seulement:</u> Labelle: forme	<u>Nur Sorten ohne Seitenlappen:</u> Lippe: Form	<u>Sólo variedades sin lóbulos laterales:</u> Labio: forma		
(*)							
(+)							
PQ		elliptic	elliptique	elliptisch	elíptica	Stardust ‘Chiyomi’	1
		circular	arrondi	rund	circular	Pink Beauty ‘Queen’	2
		transverse elliptic	elliptique transversale	quer elliptisch	elíptica transversal		3
73.	(c)	<u>Varieties without lateral lobes only:</u> Lip: overlapping of basal part	<u>Variétés sans lobes latéraux seulement:</u> Labelle: chevauchement de la partie basale	<u>Nur Sorten ohne Seitenlappen:</u> Lippe: Überlappen des basalen Teils	<u>Sólo variedades sin lóbulos laterales:</u> Labio: solapado de la parte basal		
(*)							
(+)							
QL		absent	absent	fehlend	ausente	Stardust ‘Chiyomi’	1
		present	présent	vorhanden	presente		9
74.	(c)	<u>Varieties with lateral lobes only:</u> Lip: shape of lateral lobe	<u>Variétés avec lobes latéraux seulement:</u> Labelle: forme du lobe latéral	<u>Nur Sorten mit Seitenlappen:</u> Lippe: Form des Seitenlappens	<u>Sólo variedades con lóbulos laterales:</u> Labio: forma del lóbulo lateral		
(*)							
(+)							
PQ		triangular	triangulaire	dreieckig	triangular		1
		ovate	ovale	eiförmig	oval		2
		narrow trapezoid	trapézoïdal étroit	schmal trapezförmig	trapezoidal estrecha		3
		broad trapezoid	trapézoïdal large	breit trapezförmig	trapezoidal ancha		4
75.	(c)	<u>Varieties with lateral lobes only:</u> Lip: shape of apical lobe	<u>Variétés avec lobes latéraux seulement:</u> Labelle: forme du lobe apical	<u>Nur Sorten mit Seitenlappen:</u> Lippe: Form des apikalen Lappens	<u>Sólo variedades con lóbulos laterales:</u> Labio: forma del lóbulo apical		
(*)							
(+)							
PQ		reniform	reniforme	nierenförmig	reniforme		1
		rhombic	losangique	rautenförmig	rómbica		2
		transverse elliptic	elliptique transversale	quer elliptisch	elíptica transversal		3
		elliptic	elliptique	elliptisch	elíptica		4

76.	(e) Lip: type of curving (* (+)	Labelle: type de courbure	Lippe: Typ der Biegung	Labio: tipo de curvatura	
PQ	type I	type I	Typ I	tipo I	1
	type II	type II	Typ II	tipo II	2
	type III	type III	Typ III	tipo III	3
	type IV	type IV	Typ IV	tipo IV	4
	type V	type V	Typ V	tipo V	5
	type VI	type VI	Typ VI	tipo VI	6
77.	(c) Lip: eye (* (+)	Labelle: œil	Lippe: Kelch	Labio: ojo	
QL	absent	absent	fehlend	ausente	Enobi Komachi 'Shirayukihime'
	present	présent	vorhanden	presente	Fantasia 'King'
78.	(c) <u>Varities with eye only:</u> (*) Lip: shape of eye (+)	Labelle: forme de l'œil	Lippe: Form des Kelchs	Labio: forma del ojo	
PQ	type I	type I	Typ I	tipo I	1
	type II	type II	Typ II	tipo II	2
	type III	type III	Typ III	tipo III	3
	type IV	type IV	Typ IV	tipo IV	4
79.	(c) Lip: number of colors (*) (e) (excluding eye and throat)	Labelle: nombre de couleurs (sauf œil et gorge)	Lippe: Anzahl Farben (ohne Kelch und Schlund)	Labio: número de colores (excepto el ojo y la garganta)	
QL	one	une	eine	uno	
	two	deux	zwei	dos	Snow Cap 'Love Song'
	three	trois	drei	tres	
	four	quatre	vier	cuatro	
	five	cinq	fünf	cinco	
	more than five	plus de cinq	mehr als fünf	más de cinco	

80.	(c) Varieties of nobile	Labelle: répartition	Lippe:	Labio:		
(*)	(e) type only: Lip: uniform color pattern (except middle part, eye and throat)	de la couleur (sauf partie centrale, œil et gorge)	Farbverteilung (außer mittlerer Teil, Kelch und Schlund)	distribución del color (excepto en la parte central, el ojo y la garganta)		
QL	self-colored absent	unicolore	einfarbig	del mismo color		1
	Shaded present	dégradée	schattiert	sombreado	Snow Cap 'Love Song'	2 9
	Edged	bordée	gerändert	ribeteado	Pink Beauty 'Queen'	3
	striped	striée	gestreift	estriado		4
	netted	réticulée	netzartig	reticulado		5
	spotted	tachetée	fleckig	manchado		6
	shaded and striped	dégradée et striée	schattiert und gestreift	sombreado y estriado		7
	shaded and netted	dégradée et réticulée	schattiert und netzartig	sombreado y reticulado		8
	shaded and spotted	dégradée et en taches	schattiert und fleckig	sombreado y manchado		9

New	(c) Varieties of nobile					
	(e) type only: Lip: striped color pattern (except middle part, eye and throat)					
QL	absent	absent	fehlend	ausente	absent	1
	present	présent	vorhanden	presente	présent	9

New	(c) Varieties of nobile					
	(e) type only: Lip: netted color pattern (except middle part, eye and throat)					
QL	absent	absent	fehlend	ausente	absent	1
	present	présent	vorhanden	presente	présent	9

New	(c) Varieties of nobile					
	(e) type only: Lip: spotted color pattern (except middle part, eye and throat)					
QL	absent	absent	fehlend	ausente		1

	present	présent	vorhanden	presente	9
New	(c) Varieties of nobile				
	(e) type only: Lip: flushed color pattern (except middle part, eye and throat)				
QL	absent	absent	fehlend	ausente	1
	present	présent	vorhanden	presente	9
New	(c) Varieties of nobile				
	(e) type only: Lip: splashed color pattern (except middle part, eye and throat)				
QL	absent	absent	fehlend	ausente	1
	present	présent	vorhanden	presente	9
81.	(c) Varieties with shaded lips only: Lip: extent of shading?	Variétés à labelles dégradés seulement: étendue du dégradé	Nur Sorten mit schattierten Lippen: Lippe: Ausdehnung der Schattierung	Sólo variedades con labios sombreados: Labio: extensión del sombreado	
QN	small	petit	gering	pequeño	3
	medium	moyen	mittel	medio	5
	large	grand	groß	grande	7
				Snow Cap 'Love Song'	
82.	(c) Lip: main color (e) (base?)	Labelle: couleur principale	Lippe: Hauptfarbe:	Labio: color principal	
PQ	RHS Colour Chart (indicate reference number)	Code RHS des couleurs (indiquer le numéro de référence)	RHS-Farbkarte (Nummer angeben)	Carta de colores RHS (indíquese el número de referencia)	
83.	(c) Lip: color of middle part (if different from 82.) (+)	Labelle: couleur de la partie médiane (si différente de 82.)	Lippe: Farbe des mittleren Teils (falls von 82. verschieden)	Labio: color de la parte central (si diferente de 82.)	
PQ	RHS Colour Chart (indicate reference number)	Code RHS des couleurs (indiquer le numéro de référence)	RHS-Farbkarte (Nummer angeben)	Carta de colores RHS (indíquese el número de referencia)	

84.	(c) <u>Varieties with shaded lips only:</u> Lip: color of shading	<u>Variétés à labelles dégradés seulement:</u> Labelle: couleur du dégradé	<u>Nur Sorten mit schattierten Lippen:</u> Lippe: Farbe der Schattierung	<u>Sólo variedades de labios sombreados:</u> Labio: color del sombreado	
PQ	RHS Colour Chart (indicate reference number)	Code RHS des couleurs (indiquer le numéro de référence)	RHS Farbkarte (Nummer angeben)	Carta de colores RHS (indíquese el número de referencia)	
	pink				1
	red				2
	brown				3
	yellow				4
	green				5
85.	(c) <u>Varieties with edged lips only:</u> Lip: color of edging?	<u>Variétés à labelles bordés seulement:</u> Labelle: couleur de la bordure	<u>Nur Sorten mit geränderten Lippen:</u> Lippe: Farbe der Ränderung	<u>Sólo variedades de labios ribeteados:</u> Labio: color del ribeteado	
PQ	RHS Colour Chart (indicate reference number)	Code RHS des couleurs (indiquer le numéro de référence)	RHS Farbkarte (Nummer angeben)	Carta de colores RHS (indíquese el número de referencia)	
	pink				1
	red				2
	brown				3
	yellow				4
	green				5
86.	(c) <u>Varieties with striped lips only:</u> Lip: color of stripes	<u>Variétés à labelles striés seulement:</u> Labelle: couleur des stries	<u>Nur Sorten mit gestreiften Lippen:</u> Lippe: Farbe der Streifen	<u>Sólo variedades de labios estriados:</u> Labio: color de las estrías	
PQ	RHS Colour Chart (indicate reference number)	Code RHS des couleurs (indiquer le numéro de référence)	RHS Farbkarte (Nummer angeben)	Carta de colores RHS (indíquese el número de referencia)	
	pink				1
	red				2
	brown				3

yellow 4

green 5

purple 6

87. (c) Varieties with netted Variétés à labelles Nur Sorten mit Sólo variedades de
(e) lips only: Lip: color of réticulés seulement: netzartigen Lippen: labios reticulados:
netting Labelle: couleur de Lippe: Farbe des Labio: color del
la réticulation Netzes reticulado

RHS Colour Chart
(indicate reference
number)

Code RHS des
couleurs (indiquer le
numéro de référence)

RHS Farbkarte
(Nummer angeben)

Carta de colores
RHS (indíquese el
número de
referencia)

PQ pink 1

red 2

brown 3

yellow 4

green 5

purple 6

88. (c) Varieties with spotted Variétés à labelles Nur Sorten mit Sólo variedades de
(e) lips only: Lip: color of tachetés seulement: fleckigen Lippen: labios manchados:
spots Labelle: couleur des Lippe: Farbe der Labio: color de las
taches Flecken manchas

RHS Colour Chart
(indicate reference
number)

Code RHS des
couleurs (indiquer le
numéro de référence)

RHS Farbkarte
(Nummer angeben)

Carta de colores
RHS (indíquese el
número de
referencia)

PQ red 1

brown 2

purple 3

89. (c) Varieties with eye Variétés avec oeil Nur Sorten mit Sólo variedades
(e) only: Lip: color of eye seulement: Labelle: Kelch: Lippe: Farbe con ojo: Labio:
couleur de l'œil des Kelchs color del ojo

PQ RHS Colour Chart
(indicate reference
number)

Code RHS des
couleurs (indiquer le
numéro de référence)

RHS-Farbkarte
(Nummer angeben)

Carta de colores
RHS (indíquese el
número de
referencia)

90.	(c) <u>Varieties with</u> (e) <u>different colored</u> <u>throat only</u> : Lip: color of throat	<u>Variétés avec une</u> <u>gorge de couleur</u> <u>différente</u> : Labelle: couleur de la gorge	<u>Nur Sorten mit</u> <u>verschieden-</u> <u>farbigem Schlund</u> : Lippe: Farbe des Schlundes	<u>Sólo variedades</u> <u>con garganta de</u> <u>diferentes colores</u> : Labio: color de la garganta		
PQ	RHS Colour Chart (indicate reference number)	Code RHS des couleurs (indiquer le numéro de référence)	RHS-Farbkarte (Nummer angeben)	Carta de colores RHS (indíquese el número de referencia)		
91.	(c) Lip: twisting (* (*)	Labelle: torsion	Lippe: Drehung	Labio: torsión		
QN	absent or weak weak intermediate strong	nulle ou faible moyenne forte	fehlend oder gering mittel stark	ausente o débi intermedia fuerte	Enobi Komachi 'Shirayukihime'	1 2 3 4
92.	(c) Lip: undulation of margin (* (*)	Labelle: ondulation du bord	Lippe: Randwellung	Labio: ondulación del margen		
QN	absent or weak weak intermediate strong	nulle ou faible moyenne forte	fehlend oder gering mittel stark	ausente o débil intermedia fuerte	Enobi Parade 'Milky Way' Stardust 'Chiyomi' Pink Beauty 'Queen'	1 2 3 4
93.	(c) Lip: fringing of margin (* (*) (+)	Labelle: frange du bord	Lippe: Randfransen	Labio: orlado del margen		
QN QL	absent or very fine Fine present medium Coarse	nulle ou très fine absente fine présente moyenne grossière	fehlend oder sehr fein Fein vorhanden mittel grob	ausente o muy fino fino presente medio burdo	Enobi Komachi 'Shirayukihime'	1 3 9 5 7
94.	(c) Lip: callus (* (*) (+)	Labelle: callosité	Lippe: Kallusbildung	Labio: callo		
QL	absent present	absente présente	fehlend vorhanden	ausente presente	<i>Dendrobium bellatulum</i>	1 9

95.	(c) Lip: pubescence (*)	Labelle: pilosité	Lippe: Behaarung	Labio: pubescencia	
QN QL	absent or weak	nulle ou faible absente	fehlend oder gering	ausente o débil	1
	intermediate present	moyenne présente	mittel vorhanden	intermedia presente	2 9
	Strong	forte	stark	fuerte	<i>Dendrobium 'Parishii'</i> 3
New (+)	(c) Lip: keel				
QL	absent	absente	fehlend	ausente	1
	present	présente	vorhanden	presente	9
96.	(c) Column: length (*)	Colonnette: longueur	Säule: Länge	Columna: longitud	
QN	short	courte	kurz	corta	3
	medium	moyenne	mittel	media	5
	long	longue	lang	larga	7
97.	(f) Column: color of anther cap (c) (e)	Colonnette: couleur du sommet des anthères	Säule: Farbe der Antherenkappe	Columna: color de la caperuza de la antera	
PQ (+)	RHS Colour Chart (indicate reference number)	Code RHS des couleurs (indiquer le numéro de référence)	RHS Farbkarte (Nummer angeben)	Carta de colores RHS (indíquese el número de referencia)	
	white				1
	yellow				2
	green				3
98.	(e) Time of flowering (*)	Époque de floraison	Zeitpunkt der Blüte	Época de floración	
PQ	very late	très tardive	sehr spät	muy tardía	1
	early	précoce	früh	temprana	2
	spring	printemps	Frühjahr	en primavera	3
	summer	été	Sommer	en verano	4
	medium	moyenne	mittel	intermedia	5

8. Explanations on the Table of Characteristics

8.1 *Explanations covering several characteristics*



Characteristics containing the following key in the second column of the Table of Characteristics should be examined as indicated below:

- (a) Observations on the **plant height and longest/ tallest** flowering pseudobulb should be made on the longest/ tallest flowering pseudobulb.
- (b) Observations on the leaf should be made on the longest leaf of a flowering pseudobulb.
- (c) Observations on the inflorescence and the flower should **be made at the longest inflorescence and** at the time when **more than** 50% of the flowers on the inflorescence have opened. The observations **on the flowers should be made** on the most recently fully **matured** flower on the inflorescence before the color starts to fade, **on the unextended organ. (Unextended organ refers to the natural spread without flattening or extending the floral parts).**
- ~~(d) Observations on the shape, length, width and colour of the flower and parts of the flower should be made on the [third or fourth] flower from the base, on the unextended organ. Unextended organ refers to the natural spread without flattening or extending the floral parts.~~
- ~~(e)~~ **(d) Observation for flower fragrance should be done before noon.**
- ~~(f)~~ **(e) Observations on the color of the sepal, the petal and the lip should be made on the front side of the flower.**

8.2 *Explanations for individual characteristics*

Ad. 1: Plant: height

Plant height is to be measured by the natural curvature.



Ad. 2: Pseudobulb: attitude



erect



semi-erect



horizontal



semi-drooping




drooping

Ad 3: Pseudobulb length

The length of the pseudobulb is to be measured on the longest pseudobulb using the flexible tape by the actual length.

Ad. 5: Pseudobulb: shape in longitudinal section




Ad. 8: Leaf: length

The length of the leaf is to be measured on the longest leaf using the flexible tape by the actual length.


Ad. 9: Leaf: width

The width of the leaf is to be measured on the longest leaf using the flexible tape by the actual width.

Ad. 10: Leaf: shape



Ad. 13: Leaf: type of variegation



Ad. 16 : Inflorescence: flowering type



solitary



cluster



inflorescence

Ad. 17: Inflorescence: position of adherence to pseudobulb



lateral



lateral and
terminal



terminal

Ad. : Inflorescence: arrangement of flowers




alternate




spiral

Ad. : Inflorescence: axis type



straight




zig-zag

Ad. 19: Inflorescence: number of flowers

Number of flowers should include flower buds.

Ad. 20: Inflorescence: length

Length of the inflorescence is to be measured with a flexible tape following the actual length.



Ad. : Inflorescence: length of peduncle

Length of the peduncle is to be measured with a flexible tape following the actual length.

Ad. 22: Inflorescence: attitude



semi-erect



horizontal



pendulous

Ad . : Inflorescence: distribution of flower



close



medium



distant

Ad. 25 : Flower: separation of sepals and petals



separated



slightly
overlapping




overlapping

Ad. 26: Flower: mentum




absent



present

Ad. 27: Flower: length in front view

Ad. 28: Flower: width in front view




- 1: Dorsal sepal
- 2: Lateral sepal
- 3: Petal
- 4: Lip
- 5: Column

Ad. 30: Dorsal sepal: curvature of longitudinal axis

Ad. 37: Lateral sepal: curvature of longitudinal axis

Ad. 53: Petal: curvature of longitudinal axis



Ad. 31: Dorsal sepal: length


Ad. 32: Dorsal sepal: width

Ad. 38: Lateral sepal: length

Ad. 39: Lateral sepal: width

Ad. 54: Petal: length


Ad. 55: Petal: width



Ad. 33: Dorsal sepal: shape

Ad. 40: Lateral sepal: shape

Ad. 56: Petal: shape



narrow elliptic



elliptic



ovate



obovate



triangular




spatulate

Ad. 34: Dorsal sepal: cross section


Ad. 41: Lateral sepal: cross section

Ad. 57: Petal: cross section



Ad. 44: Sepal: marginal outline

Ad. 60: Petal: marginal outline



Ad. . : Sepal: uniform pattern

Ad. 61 : Petal: uniform pattern



uniform

Ad. 45: Sepal: shading pattern

Ad. : Petal: shading pattern



shading

Ad. : Sepal: veined pattern

Ad. : Petal: veined pattern



Ad. : Sepal: stripped pattern

Ad. : Petal: stripped pattern



Ad. : Sepal: netted pattern

Ad. : Petal: netted pattern



Ad. : Sepal: spotted pattern

Ad. : Petal: spotted pattern



spotted

Ad. : Sepal: flushed pattern

Ad. : Petal: flushed pattern



flushed

Ad. : Sepal: splashed pattern

Ad. : Petal: splashed pattern



splashed

Ad. : Lip: presence of lip



absent



present

Ad. 71: Lip: presence of lateral lobe




absent




present


Ad. 72: Varieties without lateral lobes only: Lip: shape



1
elliptic




2
circular




3
transverse elliptic

Ad. 73: Varieties without lateral lobes only: Lip: overlapping of basal part




1
absent




9
present


Ad. 74: Varieties with lateral lobes only: Lip: shape of lateral lobe




1
triangular



2
ovate




3
narrow trapezoid




4
broad trapezoid

Ad. 75: Varieties with lateral lobes only: Lip: shape of apical lobe




Ad. 76: Lip: type of curving




Ad. 77: Lip: eye


Ad. 83: Lip: color of middle part (if different from 82.)




Ad. 78: Varieties with eye only: Lip: shape of eye




1
type I



2
type II



3
type III



4
type IV

Ad. 93: Lip: fringing of margin




absent



present

Ad. 94: Lip: callus



Ad. 95: Lip: pubescence




absent



present

Ad.: Lip: keel



Ad. 97: Column: color of anther cap

Observations on the color of the column should be made on the dorsal side.

9. Literature

Encyclopedia of Horticulture, Seibun-Do Shinkosha, Tokyo, Japan (in Japanese), JP.

Karasawa, K., 1994: "Orchid Atlas", Vol. 4, Dendrobium, Orchid Atlas Publishing Society, c/o Yasaka Syobo, Inc., Tokyo, Japan, JP.

10. Technical Questionnaire

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
		Application date: (not to be filled in by the applicant)
TECHNICAL QUESTIONNAIRE to be completed in connection with an application for plant breeders' rights		
1. Subject of the Technical Questionnaire		
1.1 Genus		
1.1.1 <i>Latin Name</i>	<input type="text" value="Dendrobium Sw."/>	
1.1.2 Common Name	<input type="text" value="Dendrobium"/>	
1.2 Species (please complete)		
1.2.1 <i>Latin Name</i>	<input type="text"/>	
1.2.2 Common Name	<input type="text"/>	
2. Applicant		
Name	<input type="text"/>	
Address	<input type="text"/>	
Telephone No.	<input type="text"/>	
Fax No.	<input type="text"/>	
E-mail address	<input type="text"/>	
Breeder (if different from applicant)	<input type="text"/>	

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
-------------------------	-----------------	-------------------

3. Proposed denomination and breeder's reference

Proposed denomination
(if available)

Breeder's reference

4. Information on the breeding scheme and propagation of the variety

4.1 Breeding Scheme

Variety resulting from:

4.1.1 Crossing

(a) controlled cross
(please state parent varieties)

(b) partially unknown cross
(please state known parent variety(ies))

(c) totally unknown cross

4.1.2 Mutation
(please state parent variety)

4.1.3 Discovery
(please state where, when and how developed)

4.1.4 Other
(please provide details)

4.2 Method of Propagating the Variety

(a) cuttings

(b) *in vitro* propagation

(c) other (state method)

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
<p>5. Characteristics of the variety to be indicated (the number in brackets refers to the corresponding characteristic in Test Guidelines; please mark the note which best corresponds).</p>		
Characteristics	Example Varieties	Note
<p>5.1 Plant: size height (1)</p>		
very-small short	Enobi Komachi ‘Shirayukihime’	1[]
small short	<i>Dendrobium kingianum</i>	3[]
medium	Wave King ‘Akebono’	5[]
large tall	Lucky Girl ‘Emiko’	7[]
very large tall		9[]
<p>5.2 Inflorescence: position of flowers flowering type (18) (new)</p>		
along peduncle solitary	Snow Cap ‘Love Song’	1[]
apex only cluster	Pink Beauty ‘Queen’	2[]
inflorescence		3[]
<p>5.3 Flower Inflorescence: length in front view position of adherence to pseudobulb (27) (new)</p>		
short lateral	Enobi Komachi ‘Shirayukihime’	1[]
medium lateral and terminal	Lucky Girl ‘Emiko’	2[]
long terminal		3[]
<p>5.4 Flower: width in front view separation of sepals and petals (28) (new)</p>		
narrow separated	Enobi Komachi ‘Shirayukihime’	1[]
medium slightly overlapping	Lucky Girl ‘Emiko’	2[]
broad overlapping		3[]
<p>5.5 Lip Flower: presence of lateral lobe form type (71) (new)</p>		
absent antelope type		1[]
present intermediate type		2[]

Characteristics	Example Varieties	Note
semi-phalaenopsis type		3[]
phalaenopsis type		4[]
nobile type		5[]
others		6[]
5.6 Lip Flower: eye length (77) (27)		
short	Enobi Komachi 'Shirayukihime'	3[]
medium	Fantasia 'King' Lucky Girl 'Emiko'	5[]
long		7[]
5.7 Varieties of nobile type only: Lip: uniform color pattern (80) (except middle part, eye and throat) Flower: width (28)		
absent narrow	Snow Cap 'Love Song' Enobi Komachi 'Shirayukihime'	3[]
present medium	Pink Beauty 'Queen' Lucky Girl 'Emiko'	5[]
broad		7[]
5.8i Lip: main color presence of lateral lobe (82) (71)		
RHS Colour Chart (indicate reference number)		1[]
absent		
present		9[]
5.8ii Lip: main color (82)		
green		
white	Enobi Komachi 'Shirayukihime'	
yellow	Stardust 'Chiyomi'	
pink	Snow Cap 'Love Song'	
red		
purple	Queen Southeast 'Crystal Queen'	
reddish		

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
-------------------------	-----------------	-------------------

6. Similar varieties and differences from these varieties

Denomination(s) of variety(ies) similar to your candidate variety	Characteristic(s) in which your candidate variety differs from the similar variety(ies)	Describe the expression of the characteristic(s) for the similar variety(ies)	Describe the expression of the characteristic(s) for your candidate variety
<i>(Example)</i>	<i>Lip: color pattern</i>	<i>shaded</i>	<i>shaded and striped</i>
Comments:			

TECHNICAL QUESTIONNAIRE	Page {x} of {y}	Reference Number:
-------------------------	-----------------	-------------------

7. Additional information which may help in the examination of the variety

7.1 In addition to the information provided in sections 5 and 6, are there any additional characteristics which may help to distinguish the variety?

Yes [] No []

(If yes, please provide details)

7.2 Special conditions for the examination of the variety

7.2.1 Are there any special conditions for growing the variety or conducting the examination?

Yes [] No []

7.2.2 If yes, please give details:

7.3 Other information

A representative color photograph of the variety should accompany the Technical Questionnaire.

8. Authorization for release

(a) Does the variety require prior authorization for release under legislation concerning the protection of the environment, human and animal health?

Yes [] No []

(b) Has such authorization been obtained?

Yes [] No []

If the answer to (b) is yes, please attach a copy of the authorization.

9. I hereby declare that, to the best of my knowledge, the information provided in this form is correct:

Applicant's name

Signature

Date

[End of document]